

PHOSTOXIN

THE INFORMATION CONTAINED IN THIS 'TAG' LABEL DATED 03/07/18 SHOULD BE FOLLOWED AS THE MOST UP TO DATE AND ACCURATE PRESENTATION OF THE ADDITIONAL REQUIREMENTS FOR THE USE OF THIS PRODUCT UNLESS SUPERSEDED BY LATER DATED VERSIONS ATTACHED TO PACKS.

Active ingredient: Aluminium phosphide (CAS 20859-73-8) releasing phosphine (56.0% w/w)

Contains Ammonium carbamate (CAS 1111-78-0, EC number 214-185-2)

Authorisation numbers: UK-2016-1044-0001 /UK-2018-1118-0001 MAPP 17000

Please Note; UK-2016-1044-0001 /UK-2018-1118-0001 MAPP 17000 all apply to the use of this product and different requirements may apply according to biocidal uses or plant protection uses respectively. Please refer to the correct part of this label. Read the label before use. Using this product in a manner that is inconsistent with the label may be an offence. Refer to the RAMPS UK Code of Good Practice (or equivalent) for additional guidance.

READ DIRECTIONS FOR USE ON ENCLOSED LEAFLET THOROUGHLY BEFORE OPENING OR USE.



H260; In contact with water releases flammable gases which may ignite spontaneously. H300; Fatal if swallowed. H310; Fatal in contact with skin. H315; Causes skin irritation. H318; Causes serious eye damage. H330; Fatal if inhaled. H400; Very toxic to aquatic life. EUH029; Contact with water liberates toxic gas. EUH032; Contact with acids liberates very toxic gas. EUH070; Toxic by eye contact. EUH401; To avoid risks to human health and the environment comply with the instructions for use. P223; Keep away from any possible contact with water, because of violent reaction and possible flash fire. P232; Protect from moisture. P234; Keep only in original container. P260 Do not breathe gas. P273; Avoid release to the environment. P280; Wear protective gloves / protective clothing/ eye protection/face protection. P301 + P310; IF SWALLOWED: Immediately call a POISON CENTRE or doctor/physician. P304 + P340 + P310; IF INHALED Remove person to fresh air, Immediately call a POISON CENTRE or doctor / physician. P312 CALL A POISON CENTRE or doctor/physician if you feel unwell. P335; Brush off loose particles from skin. P370 + P378; In case of fire: use dry sand or powder then use CO2 for extinction. P402 +P403 + P404; Store in a dry, well ventilated place. Store in a closed container. P405; Store locked up. P501. Dispose of contents / container to a licensed hazardous waste disposal contractor or collection site.



UN 1397 Aluminium Phosphide

SPECIFIC RESTRICTIONS FOR BIOCIDAL USE APPLICATIONS;

FOR USE AS A RODENTICIDE AND FOR THE CONTROL OF OTHER VERTEBRATES. FOR OUTDOOR USE ONLY.

A ready-to-use- gas generating product containing Aluminium Phosphide releasing phosphine (56.0 % w/w) for use as a rodenticide and for the control of other vertebrates by trained professionals with demonstrated competence holding accredited qualifications in the use of metallic phosphides in the UK and familiar with the precautionary measures to be observed.

For the non – agricultural control of brown rats (*Rattus norvegicus*).

The product is for use outdoors in rodent burrows away from human habitation. For use in all types of amenity and other non-agricultural areas where rodent burrows can cause damage (e.g. railway embankments, tracks, gravel edges, border routes, dams and flood dikes, sport venues (golf courses), gardens and parks, port traffic areas, airfields and other kinds of technical areas).

For the non – agricultural control of adult and juvenile moles (*Talpa europa*) and rabbits (*Oryctolagus cuniculus*).

The product is used for the outdoor control of rabbits and moles for all types of non –agricultural areas where burrows and mole hills may cause damage e.g. railway embankments, tracks, gravel edges, border routes) dams and flood dikes, sport venues (golf courses) gardens and parks, port traffic areas, airfields and other kinds of technical areas. Outdoor use only (application into clearly locatable burrow systems that are separated from burrow systems of other vertebrates and building structures.)

SPECIFIC RESTRICTIONS FOR PLANT PROTECTION USE APPLICATIONS

FOR USE ONLY AS A RAT, MOLE AND RABBIT CONTROL AGENT.

Situations	Maximum individual dose	Maximum number of treatments
All situations (outdoor use only)	1 tablet / 3-5m tunnel length (light soils) 1 tablet / 8-10m tunnel length (all other soils)	4 per year

Crops must not be planted until at least 7 days after a treatment.

READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS AND ALSO REFER TO THE RAMPS UK CODE OF GOOD PRACTICE FOR ADDITIONAL GUIDANCE.

GENERAL DIRECTIONS FOR USE: Biocidal and Plant Protection uses.

Use only with the Applicator supplied for use with the tablets of this biocidal product. Please see end of label for types and the RAMPS UK Code of Good Practice for additional information.

Applicator Cleaning and Waste Treatment methods.

When an Applicator is used, it shall be cleaned after use. The cleaning shall be performed outdoors, preferably in light winds (observe the wind direction), and with careful avoidance of exposure of humans and animals to dusts and/or phosphine. The cleaning of the Applicator shall be carried out in a sufficiently large vessel with tension relieved water (with a detergent). All parts of the device must remain in the water bath for at least four hours. During this time, the area shall be left. The device is then rinsed well with fresh water until all parts are clean. Before reusing the device, it shall be technically checked and all parts shall be completely dry.

The cleaning operation should be conducted at sufficient intervals in order to ensure that there is no hazardous build-up of aluminium phosphide residues within the device. However, before progressing with the cleaning procedure as outlined above, an appropriate risk assessment should be conducted to ensure there is sufficient time for all of the parts within the applicator to be safely dried before the next required use. This is necessary in order to ensure there is no possible contact between any trapped moisture inside the device and the product to be added.

The Applicator can only be carried between sites, transported on a vehicle (note not in a vehicle) or stored when it is empty and no longer contains the product or any dust that might generate phosphine. If as a result of a risk assessment immediate cleaning by washing is not possible because of possible moisture retention prior to the next required use, as an interim measure the following emptying procedure should be followed.

The empty flasks should be removed from the Applicator and any remaining dust residue tapped from them, whilst still wearing full PPE, including full face respirator to EN136 with B2P3 filter to EN14387.

Repeat this initial cleaning process with the empty applicator by operating the trigger mechanism for a number of times to remove any dust or particles that may still be present. Ensure you then transport the emptied Applicator together with the empty flasks in a sealed container (300 gauge plastic would suffice) in an unoccupied compartment on the vehicle well away from the drivers cab, to a suitable place where all of these items can be safely vented and aired (whilst again wearing PPE/RPE) until no further phosphine is liberated. Do not allow the Applicator or flasks to become wet at any time during this venting procedure.

At the first available opportunity following this emptying procedure and when a risk assessment allows, the Applicator should then be washed in accordance with the specific process described above.

Gas monitoring; Fumigation and Risk areas

Open areas treated with phosphine (hydrogen phosphide) are 'Fumigation areas'. As a precautionary measure, the Head of Fumigation must set up a safety distance from the boundary of the Fumigation area (to be known as a 'Risk area') for the safety of the general public as well as for farm and domestic animals. This Risk area should be established to provide a minimum safety distance of at least 25 metres out from the Fumigation area boundary and will be maintained as such as long as the phosphine gas levels outside of this Risk area remain below 0.01ppm (0.014 g /m³). If phosphine levels increase then the Risk area should be increased accordingly to more than 25 metres until the levels are again found to be below 0.01ppm (0.014 g /m³).

The Risk area must not be reduced to less than 10 metres under any circumstances. However, if by organisational measures (signposting, barrier tape, written agreement with the owners or authorised users etc.) it can be ensured that no person or farm and / or domestic animals are present in the Risk area, and the gas levels are below 0.01ppm (0.014 g /m³) then the safety distance (and therefore the Risk area) may be reduced, but on no account may it be reduced to less than 10 metres. Re-entry for persons into the Risk area (other than the operator who must be wearing PPE / RPE) should only be allowed if a clearance is granted and the concentration of phosphine has been measured and found to be below 0.01 ppm, (corresponding to 0.014 g /m³.) The measurement results and, if necessary, the safety measures taken must be recorded in writing and stored with documentation of the fumigation.

(Suitable portable gas detectors such as Dräger Pac® 7000 should be used to detect levels of phosphine gas air concentrations at 0.01ppm or above. Further information can be found at the Register of Accredited Metallic Phosphide Standards in the UK (RAMPS) (<http://www.ramps-uk.org>).)

Inhabitants and/or authorised users of premises directly adjacent or within a distance of up to 25m to the fumigated area shall be informed adequately at least one week before fumigation in writing about the risk posed by the biocidal product. The information includes at least:

- a) the name of the fumigant
- b) the authorisation number
- c) the name of the active substance
- d) information about the means of exposure (inhalation)
- e) the limited sensory perception of phosphine through impurities (carbide- or garlic-like, foul smelling fish)
- f) the request to leave immediately the area after olfactory perception (the smell is often only perceptible about health-based limits)
- g) description of disease symptoms of intoxication after inhalation
- h) description of recommended first aid measures

i) further sources of information (manufacturer of the biocidal product, name and telephone number of the user, competent poison control centre).

If the danger area is accessible for the general public, farm and/or domestic animals, it has to be secured before beginning the fumigation and for two consecutive days, at least:

a) by an appropriate cordon (e.g. red/white barrier tape)

b) with a warning sign: acute toxicity symbol (skull and cross bones) with the following features:

i) "Danger because of soil fumigation. Very toxic gases! Danger to life! No trespassing!"

ii) the name of the biocidal product as well as the date and time of the fumigation, the address of the responsible person as well as adequate emergency telephone numbers.

This product must not be used within 10 metres of human or non-target animal habitation. It has to be ensured that treated burrows do not meet cellars or other parts of housings.

Safely close the hole in which tablets are applied with a plug.

The product must be applied to all burrow entrances in order to prevent target animals from escaping via untreated burrows.

The treated area has to be inspected at appropriate intervals to ensure that all burrows have remained blocked and not re-opened by any target-organisms.

Use only with the Applicator supplied for use with Phostoxin.

Use all contents of flask in one operation.

Using the Applicator; Work in the open air, sideways to the wind. Invert the Applicator and screw the full container of Phostoxin into the orifice at the end of the handle. The Applicator is now loaded ready for use and the correct application rates should then be administered.

When the treatment is completed, the empty container must be taken off the Applicator and the procedures outlined in the Applicator Cleaning section above should be followed.

Specific treatment requirements and application rates.

Control of rats, rabbits and moles in Biocidal Use situations:

APPLICATION DETAILS	
Rats (<i>Rattus norvegicus</i>)	Apply 1 x 3g tablets every 3-5m burrow length (light soils) 1 x 3g tablet every 8-10m burrow length (all other soils)
Moles (<i>Talpa europa</i>)	Apply 1 x 3g tablets every 3-5m burrow length (light soils) 1 x 3g tablet every 8-10m burrow length (all other soils)
Rabbits (<i>Oryctolagus cuniculus</i>).	Apply 1 tablets per hole
The product should be used when burrows/holes appear.	

Safely close the hole in which tablets are applied, by a plug immediately after treatment. This could be with earth or turf (grass side down).

Ineffective sealing of treated burrows, usage of the product in very dry soil and at very low temperature (frost) and other inaccurate applications should be avoided.

The product must be applied to all burrow entrances in order to prevent target animals from escaping via untreated burrows.

The treated area has to be inspected at appropriate intervals to ensure that all burrows have remained blocked and not re-opened by any target organisms.

It has to be ensured that treated burrows do not meet cellars or other parts of housings.

It must not be used within 10 metres of human habitation.

Use should be avoided where there is evidence of non-target animal activity (badger, fox, reptile etc).

Minimum time for effective treatment is 21 days .

Use all contents of flask in one operation.

If use of this product does not result in complete control of large pest infestations, further treatments with other control measures may be required to fully control the population.

Specific treatment requirements for the control of rats in Biocidal Use situations:

1. If there are fresh signs of rat activity, a further application may be made 7 or more days later.
2. Do not treat tunnels less than 10cm below the surface.
3. It has to be ensured that treated burrows do not meet cellars or other parts of housings.

Control of moles in Plant Protection Use situations:

A plot of land where moles are present should ideally be treated in its entirety as a single unit.

Locating active sites: Places where moles are active can be located by harrowing or rolling the old molehills and tunnels about a week before treatment. Short vegetation makes this operation easier and helps to produce good results. Pay extra attention to the boundaries of the site because areas in or near hedges, fences, banks, ditches or verges are favorite places for nests. Concentrate the treatment on the molehills and deeper tunnels at approximately 25 cm depth.

Treatment:

1. Using the metal probe, pierce a small hole into the mole run or molehill.
2. With the loaded Applicator insert one treatment of 1 x 3.0g tablet into the tunnel of the molehill.
3. After the tablets have been deposited in the hole, seal the hole with earth or turf, vegetation side down, immediately after treatment.
4. Treat at a number of points where moles are active, with approximately one treatment per 4 sq. metres.
5. If fresh mole activity is noticed, a further application may be made 7 or more days later. No more than 4 applications per year may be made to the same tunnel.
6. Note: A clear access hole to the tablets' placement point must be made before inserting the delivery tube of the Applicator. Holes must not be pierced with the delivery tube of the Applicator.

Control of Rabbits in Plant Protection Use situations:

The most effective time for treatment for control of rabbits is from November to March, when the rabbit population is at its lowest and the burrows are most accessible. Before treatment ensure that rabbits lying out in the surrounding area are driven to ground.

Treatment:

1. With the loaded Applicator insert 1 x 3.0g tablet as far into each hole as practicable, usually 30 cm is adequate.
2. As soon as the tablets have been deposited in the hole, seal the hole with turf, grass side down taking care not to cover the pellets with soil. It needs to be ensured that burrows are sealed and are not within 10 m of a watercourse.
3. Ineffective sealing of treated burrows, usage of the product in very dry soil and at very low temperature (frost) and other inaccurate applications should be avoided.
4. Ensure all burrow entrances are treated and sealed.
5. If fresh rabbit activity is noticed, a further application may be made 7 or more days later. No more than 4 applications per year may be made.
6. Do not treat tunnels less than 10cm below the surface.

To avoid risks to man and the environment, comply with the instructions and restrictions for use:

ADDITIONAL GENERAL RESTRICTIONS/WARNINGS:

WARNING: Spontaneous combustion can arise due to sudden release of phosphine gas if a flask having been opened once is then re-opened. Open the pack out of doors/in a well-ventilated place. Work sideways on to the wind.

May not be used in rain or dense fog.

DO NOT use when the ground is very dry or waterlogged.

This product must not be used in wet weather: **DO NOT** use in rain or heavy mist.

The product must not be used within 10 metres of human or non-target habitation. It has to be ensured that treated burrows do not meet cellars or other parts of housings.

This product must not be placed or allowed to remain on the ground surface.

The product must be applied to all burrow entrance in order to prevent target animals from escaping via untreated burrows.

Safely close the hole in which pellets are applied with a plug.

Ineffective sealing of treated burrows, usage of the product in very dry soil and at very low temperatures (frost) and other inaccurate applications may reduce the effectiveness of the treatment.

The treated area has to be inspected at appropriate intervals to ensure that all burrows have remained blocked and not re-opened by any target-organisms.

Before application, ensure there is no connection between the burrow system and sewers.

OTHER SPECIFIC RESTRICTIONS RELATING TO OPERATORS;

This product must be used only by Professional Users with Demonstrated Competence who are operators instructed or trained in the use of aluminium phosphide and familiar with the precautionary measures to be observed and who hold accredited qualifications in the use of metallic phosphides in the UK. A list of approved qualifications and training bodies can be found at the Register of Accredited Metallic Phosphide Standards in the UK (RAMPS) (www.ramps-uk.org)

Refer to HSE Guidance Note 251: Health and Safety guidance for employers and technicians carrying out fumigation operations and the RAMPS UK Code of Good Practice (or equivalent) for guidance.

When this product is supplied to a user for the control of rodents or other vertebrates (rabbits and moles), it shall only be supplied to a professional user holding accredited qualifications in the use of metallic phosphides in the UK.

To be used only by professional users holding accredited qualifications in the use of metallic phosphides in the UK.

For Plant Protection Use applications; see HSE Agricultural Information Sheet number. 22- Gassing and Vertebrate Pests and RAMPS UK Code of Good Practice (or equivalent) for guidance.

For Biocidal Use applications; see RAMPS UK Code of Good Practice (or equivalent) for additional guidance.

Note: When this product is supplied to a user it shall only be supplied to a professional user holding accredited qualifications in the use of metallic phosphides in the UK.

OPERATOR PROTECTION REQUIREMENTS:

Avoid any unnecessary contact with the product. Misuse may cause adverse effects on health.

The COSHH (Control of Substances Hazardous to Health) Regulations 2002 (as amended) apply to the use of this product at work.

Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment.

WEAR SUITABLE protective clothing (coveralls) suitable protective gloves (nitrile to EN374) and suitable respiratory protective equipment* when applying the product. Full face respirator to EN136 with B2P3 filter to EN14387.

Eye protection is required to protect from local effects of eye irritation because of the additive ammonium carbamate. Protective gloves (nitrile EN374) are required for precautionary reasons (e.g. clearing soil from the outlet of the delivery tube).

However, engineering controls may replace personal protective equipment if a COSHH assessment shows that they provide an equal or higher standard of protection.

ON CONTACT WITH WATER RELEASES FLAMMABLE GASES WHICH MIGHT IGNITE SPONTANEOUSLY
CONTACT WITH WATER LIBERATES VERY TOXIC, HIGHLY FLAMMABLE GAS WHICH IS IRRITATING TO THE EYES AND RESPIRATORY SYSTEM.

OPEN CONTAINER IN A WELL-VENTILATED SPACE.

WHEN USING DO NOT EAT DRINK OR SMOKE.

AVOID ALL CONTACT BY MOUTH, SKIN OR EYES.

EXTINGUISH ALL NAKED FLAMES INCLUDING PILOT LIGHTS WHEN APPLYING THE PRODUCT.

DO NOT BREATHE GAS

WASH HANDS AND EXPOSED SKIN before eating drinking or smoking and after work.

SPo1; After contact with skin first remove product with a dry cloth and then wash skin with plenty of water.

ENVIRONMENTAL PROTECTION:

Avoid uncontrolled release to the environment.

DANGEROUS TO FISH OR OTHER AQUATIC LIFE: Do not contaminate water with product or its container.

This product must not be used in burrows within 10m of surface waters or ditches.

Avoid using Phostoxin in burrows or warren systems where there is evidence of current non-target animal activity (badger, fox, reptiles, etc.) or where such systems may be connected to an active sett or earth.

Areas where other burrowing animals can be expected must not be treated.

Water voles are protected under the Wildlife and Countryside Act 1981 and Phostoxin must not be used in their burrows or any warren system where there is evidence of current vole activity.

Badgers are protected animals; setts must not be gassed. Aluminium phosphide must not be used if there are active badger setts/ fox earths in the treatment area.

Badger and polecat are protected under the Wildlife and Countryside Act 1981 and may use rabbit burrows.

Reptiles and the natterjack toad are also protected under Wildlife and Countryside Act 1981; if these are likely to be present in burrows, consult Natural England, Scottish Natural Heritage or Natural Resources Wales as appropriate before using Phostoxin.

Most bird species are protected under the Wildlife and Countryside Act 1981.

Do not use Phostoxin in areas and at times of year when adult or juvenile puffins, shearwaters or petrels are occupying burrows; do not use in burrows that may be occupied by other hole nesting birds such as wheat-ears or shelduck.

FIRST AID:

First aid measures;

WARNING: All patients with exposures should be sent to a Healthcare facility for at least a period of 24 hours observation after inhalation or ingestion. Contact with moisture or moist air, if swallowed the contact with an organism's stomach acid produces PHOSPHINE. Aluminium phosphide releases phosphine gas into the stomach and can cause spontaneous vomiting and the gas can contaminate confined areas like rooms and ambulances.

Poisoning may cause;

Burning of the eyes, skin, mucous membranes, respiratory and gastrointestinal tract. -Nausea, vomiting, diarrhoea and severe abdominal pain. -Headache, cough, tightness and pain in the chest, shortness of breath, dizziness, lethargy, and stupor. -Fatigue, muscle pain, chills, incoordination, seizures and coma. - Pulmonary edema and cardiac arrhythmias. Liver, kidney, and adrenal cortex damage. -multiorgan failure which may cause death.

If any of the mentioned symptoms occurs or if poisoning is suspected: STOP WORK IN CASE OF ACCIDENT OR IF YOU FEEL UNWELL, **seek medical advice immediately.**

Basic First aid procedures;

Move the person away from the contaminated area to fresh air as soon as possible and remove contaminated or splatter clothing.

-**If contact in eyes**, remove powdery residues using lint –free cloth. Rinse with plenty of water only when no more powdery residues are visible. Do NOT forget to remove any contact lenses.

- **If contact on skin**, remove powdery residues by brushing. Rinse with plenty of water only when no more powdery residues are visible.

-**If swallowed** do NOT induce vomiting unless told to do so by poison control or a health care professional. Call immediately to **a poison control centre** doctor, emergency services or NHS 111.

-**If necessary** take the person to a hospital in a well –ventilated car and show the label or packaging whenever possible.

-Keep the patient at rest and maintain the body temperature.

- **If the person is unconscious**, turn the patient sideways with the head at a lower level than the rest of the body and the knees bended.

- **If breathing stops** or shows signs of failing administer artificial respiration using oxygen and a mechanical device such as a bag and mask.

- **Do not use mouth to mouth resuscitation.**

DO NOT LEAVE THE PERSON ALONE UNDER ANY CIRCUMSTANCES.

Medical advice for doctors and sanitary staff: No specific antidote is known. Treatment for suspected poisoning should be symptomatic and supportive care. UK Medical Professionals should contact the National Poisons Information Service (www.nips.org) for further information. **For further advice please call NHS 111.**

IF MEDICAL ADVICE IS NEEDED, HAVE THE PRODUCT CONTAINER OR LABEL AT HAND AND CONTACT THE POISON CONTROL CENTRE.

Please refer to the Safety Data Sheet for further information.

DISPOSAL:

Protect from moisture. Keep away from any possible contact with water, because of violent reaction and possible flash fire.

DO NOT RE-USE CONTAINER for any purpose.

KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDING STUFFS.

KEEP OUT OF THE REACH OF CHILDREN.

Empty container completely using the method described under the heading ‘Waste treatment methods’

and dispose of safely in accordance with the instructions given under the heading Product/packaging disposal.’

KEEP IN ORIGINAL CONTAINER, tightly closed, under lock and key.

DO NOT RE-SEAL. Spontaneous combustion can arise due to sudden release of phosphine gas if a flask having been opened once is then re-opened.

USE ALL CONTENTS OF THE FLASK IN ONE OPERATION.

EMPTY FLASKS CAN BE RE-SEALED ONLY FOR TRANSPORT TO WASTE STORAGE AREA.

DO NOT STORE OR RESEAL PART USED FLASKS.

For active substances, plant protection and biocidal product and residues, waste code 061301 according to Guideline 2001/118/EC is applied.

It is recommended that only degassed material should be disposed of under observation of the prevailing regulations (waste code 060316 according to Guideline 2001/118/EC).

The product and/or its container must be disposed of to a licensed hazardous-waste disposal contractor or collection site.

SPILLAGES:

In the event of spillage or accidental trigger release, do not attempt to recover the tablets for re-loading.

Do not flush with water or aqueous cleaning agents. Ensure adequate ventilation.

Dispose of contents/container: degassed material should be disposed under observation of prevailing regulation (waste code: 060316); for substance/preparation/residue: waste code 061301. Please refer to the Safety Data Sheet for further information.

STORAGE INSTRUCTIONS:

Keep cool. Protect from moisture. Store in a dry place. Store in a closed container. Store in a well-ventilated place. Place away from water or moisture. Keep only in the original container. Do not store or reseal part-used flasks. Store locked up. Shelf life: 5 years.

OTHER INFORMATION:

Information for UK suppliers: Aluminium phosphide is a Regulated Substance under the Control of Poisons and Explosives Precursors Regulations 2015. Information on the responsibilities of suppliers is given at <https://www.gov.uk/government/publications/supplying-explosives-precursors/supplying-explosives-precursors-and-poison>.

Sale and supply of aluminium phosphide is governed by the Poisons Rules 1982* made under the Poisons Act 1972. It is scheduled as a Part 1 Poison.

AUTHORISATION HOLDER: Detia Degesch GmbH, Dr.-Werner – Freyberg-Str.11, 69514 Laudenbach, Germany Tel: +49 (0)6201-708-0.

Detia Degesch GmbH is a Member of the Register of Accredited Metallic Phosphide Standards. (RAMPS) UK.

MARKETING COMPANY: Rentokil Initial 1927 plc, The Power Centre, Unit A1 and A2 Link 10 Napier Way, Crawley, West Sussex RH10 9RA United Kingdom.

Product Advice Line: +44(0)151 548 5050 Emergency Line: +44(0)1342 833 022

Batch number:

Expiry date:

E mark:

Net weight: 90g

Pack Size: 90g (30 x 3g tablets per flask)

Label number:

PHOSTOXIN ; TAG label V (2) 05/07/18 ip